Zion LED Polycarbonate Floodlight

Supplied c/w Integral Driver

2YR

PIR

5 - 12 Metres
10 Seo nds - 8 Minutes
3 Lux - PC Off

AZILED/10

AZILED/10/PIR

AZILED/20

AZILED/20/PIR

- *Compact and economic polycarbonate LED floodlight*
- *Warm and Cool white options*
- *10W LED ideal for halogen replacement*
- *20W LED exceeds performance of 20W HQI*
- *Polished faceted reflector and textured glass for optimum performance*
- *Pre-wired with 1 metre of rubber insulated cable for ease of installation (500mm for 10W)*
- *PIR versions complete with manual override facility*
- *LED lifespan L70 30,000 hours*
- *Non-dimmable*



AZILED10



AZILED10/PIR



AZILED20



AZILED20/PIR

	Code	Lamp	Description
Standard	**AZILED10**	LED	10W - Cool White
PIR	**AZILED10/PIR**	LED	10W c/w PIR - Cool White
Standard	**AZILED20**	LED	20W - Cool White
PIR	**AZILED20/PIR**	LED	20W c/w PIR - Cool White
Standard	**AZILED10/WW**	LED	10W - Warm White
PIR	**AZILED10/WW/PIR**	LED	10W c/w PIR - Warm White
Standard	**AZILED20/WW**	LED	20W - Warm White
PIR	**AZILED20/WW/PIR**	LED	20W c/w PIR - Warm White

LED Information

	Cool White	*Warm White*
Total (Watts)		*10W*
		20W
Lumens Delivered		
10W	*843lm*	*771lm*
20W	*1709lm*	*1575lm*
Lm/W 10W	*84lm*	*77lm*
Lm/W 20W	*90lm*	*83lm*
CRI		*Ra 70*
CCT		*4000K*
		3000K
Input		*230V*
Hertz		*50Hz*
Operating Temp		*-10°C to 40°C*

CE IP65 IP44
PIR

Zion LED Polycarbonate Floodlight

Supplied c/w Integral Driver

- *Compact and economic polycarbonate LED floodlight*
- *Warm and Cool white options*
- *30W LED comparable light output of 35W HQI*
- *50W LED exceeds performance of 70W HQI*
- *Polished faceted reflector and textured glass for optimum performance*
- *Pre-wired with 1 metre of rubber insulated cable for ease of installation*
- *PIR versions complete with manual override facility*
- *LED lifespan L70 30,000 hours*
- *Non-dimmable*

2YR

PIR

5 - 12 Metres
10 Seo nds - 8 Minutes
3 Lux - PC Off

AZILED/30

AZILED/30/PIR

AZILED/50

AZILED/50/PIR



AZILED30



AZILED30/PIR



AZILED50



AZILED50/PIR

LED Information

	Cool White	Warm White
Total (Watts)		*30W*
		50W
Lumens Delivered		
30W	*2614lm*	*2415lm*
50W	*4698lm*	*4198lm*
Lm/W 30W	*90lm*	*83lm*
Lm/W 50W	*94lm*	*84lm*
CRI		*Ra 70*
CCT		*4000K*
		3000K
Input		*230V*
Hertz		*50Hz*
Operating Temp		*-10°C to 40°C*

CE IP65 IP44
PIR

	Code	Lamp	Description
Standard	**AZILED30**	LED	30W - Cool White
PIR	**AZILED30/PIR**	LED	30W c/w PIR - Cool White
Standard	**AZILED50**	LED	50W - Cool White
PIR	**AZILED50/PIR**	LED	50W c/w PIR - Cool White
Standard	**AZILED30/WW**	LED	30W - Warm White
PIR	**AZILED30/WW/PIR**	LED	30W c/w PIR - Warm White
Standard	**AZILED50/WW**	LED	50W - Warm White
PIR	**AZILED50/WW/PIR**	LED	50W c/w PIR - Warm White

Zion LED White Polycarbonate Floodlight

Supplied c/w Integral Driver

2YR

PIR

5 - 12 Metres
10 Seo nds - 8 Minutes
3 Lux - PC Off

AWZILED/10

AWZILED/10/PIR

AWZILED/20

AWZILED/20/PIR

- *Compact and economic polycarbonate LED floodlight*
- *Warm and Cool white options*
- *10W LED ideal for halogen replacement*
  20W LED exceeds performance of 20W HQI
- *Polished faceted reflector and textured glass for optimum performance*
- *Pre-wired with 1 metre of rubber insulated cable for ease of installation (500mm for 10W)*
- *PIR versions complete with manual override facility*
- *LED lifespan L70 30,000 hours*
- *Non-dimmable*



AWZILED10



AWZILED10/PIR



AWZILED20



AWZILED20/PIR

	Code	Lamp	Description
Standard	**AWZILED10**	LED	10W - Cool White - White Housing
PIR	**AWZILED10/PIR**	LED	10W c/w PIR - Cool White - White Housing
Standard	**AWZILED20**	LED	20W - Cool White - White Housing
PIR	**AWZILED20/PIR**	LED	20W c/w PIR - Cool White - White Housing
Standard	**AWZILED10/WW**	LED	10W - Warm White - White Housing
PIR	**AWZILED10/WW/PIR**	LED	10W c/w PIR - Warm White - White Housing
Standard	**AWZILED20/WW**	LED	20W - Warm White - White Housing
PIR	**AWZILED20/WW/PIR**	LED	20W c/w PIR - Warm White - White Housing

LED Information

	Cool White	Warm White
Total (Watts)		*10W*
		20W
Lumens Delivered		
10W	*843lm*	*771lm*
20W	*1709lm*	*1575lm*
Lm/W 10W	*84lm*	*77lm*
Lm/W 20W	*90lm*	*83lm*
CRI		*Ra 70*
CCT		*4000K*
		3000K
Input		*230V*
Hertz		*50Hz*
Operating Temp		*-10°C to 40°C*

CE IP65 IP44
PIR

Zion LED White Polycarbonate Floodlight

Supplied c/w Integral Driver

- *Compact and economic polycarbonate LED floodlight*
- *Warm and Cool white options*
- *30W LED comparable light output of 35W HQI 50W LED exceeds performance of 70W HQI*
- *Polished faceted reflector and textured glass for optimum performance*
- *Pre-wired with 1 metre of rubber insulated cable for ease of installation*
- *PIR versions complete with manual override facility*
- *LED lifespan L70 30,000 hours*
- *Non-dimmable*

2YR

PIR

5 - 12 Metres
10 Seo nds - 8 Minutes
3 Lux - PC Off

AWZILED2/30

AWZILED2/30/PIR

AWZILED2/50

AWZILED2/50/PIR



AWZILED30



AWZILED30/PIR



AWZILED50



AWZILED50/PIR

LED Information

	Cool White	Warm White
Total (Watts)		*30W*
		50W
Lumens Delivered		
30W	*2614lm*	*2415lm*
50W	*4698lm*	*4198lm*
Lm/W 30W	*90lm*	*83lm*
Lm/W 50W	*94lm*	*84lm*
CRI		*Ra 70*
CCT		*4000K*
		3000K
Input		*230V*
Hertz		*50Hz*
Operating Temp		*-10°C to 40°C*

CE IP65 IP44
PIR

	Code	Lamp	Description
Standard	**AWZILED30**	LED	30W - Cool White - White Housing
PIR	**AWZILED30/PIR**	LED	30W c/w PIR - Cool White - White Housing
Standard	**AWZILED50**	LED	50W - Cool White - White Housing
PIR	**AWZILED50/PIR**	LED	50W c/w PIR - Cool White - White Housing
Standard	**AWZILED30/WW**	LED	30W - Warm White - White Housing
PIR	**AWZILED30/WW/PIR**	LED	30W c/w PIR - Warm White - White Housing
Standard	**AWZILED50/WW**	LED	50W - Warm White - White Housing
PIR	**AWZILED50/WW/PIR**	LED	50W c/w PIR - Warm White - White Housing