

# NexusFlatplate

A stunning range of slim line screwed and screwless accessories in a range of different finishes, adding the perfect compliment to any interior space



## Features



No visible plastic around switches



Screwless front secure & easy "clip on/off" plate



Sleek flat profile



Integral gasket for moisture protection



Angled in-line colour coded captive terminals

## Range Content



Brushed Steel



Polished Chrome



Polished Brass



Black Nickel

# Nexus-Flapplate - Screwed

## 10 AMP 10AX SWITCHES

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS12	SPC12	10AX plate switch 1 gang, 2 way	10
SBS13	SPC13	10AX plate switch intermediate	10
SBS15	SPC15	10AX plate switch 3 pole fan isolator	10
SBS42	SPC42	10AX plate switch 2 gang, 2 way	10
SBS43	SPC43	10AX plate switch 3 gang, 2 way	10
SBS44	SPC44	10AX plate switch 4 gang, 2 way	5
SBS46	SPC46	10AX plate switch 6 gang, 2 way	5

- Manufactured to BS EN 60669-1



SBS12



SPC42

## 13 AMP DOUBLE POLE SOCKET OUTLETS

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS21G	SPC21G	13A switched socket 1 gang, double pole	10
SBS22G	SPC22G	13A switched socket 2 gang, double pole	5

- Manufactured to BS 1363 part 2



SBS21G



SPC21G

## ROUND PIN AND EXPORT SOCKET OUTLETS

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS28G	SPC28G	2A 1 gang unswitched socket round pin	10
SBS29G	SPC29G	5A 1 gang unswitched socket round pin	10
SBS27G	SPC27G	13A 1 gang switched universal with neon	10
SBS99G	SPC99G	15A 1 gang switched socket	10
SBS98G	SPC98G	16A 2 gang unswitched Euro socket	10

- Manufactured to BS 546



SBS28G



SPC29G

## 20 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS31	SPC31	20A DP switch with neon	10

- Manufactured to BS EN 60669-1



SBS31



SPC31

## 13 AMP FUSED CONNECTION UNITS

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS50	SPC50	13A switched FCU	10
SBS52	SPC52	13A switched FCU with neon	10
SBS53	SPC53	13A switched FCU with neon and cable outlet	10
SBS54	SPC54	13A unswitched FCU	10
SBS55	SPC55	13A unswitched FCU with cable outlet	10

- Manufactured to BS 1363 part 4



SBS52



SPC50

## 45 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS70G	SPC70G	45A DP cooker switch with 13A neon socket	5
SBS72	SPC72	45A DP switch with neon, double plate	5
SBS74	SPC74	45A DP switch with neon, single plate	10

- Manufactured to BS 4177
- Manufactured to BS EN 60669-1



SBS74



SPC74

### INSERT COLOURS:

Polished Chrome = Grey,  
Brushed Steel = Grey.

# Nexus-Flapplate - Screwed



SBS60



SPC61

## CO-AXIAL AND SATELLITE SOCKETS

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS60	SPC60	Co-axial socket 1 gang	10
SBS61	SPC61	Co-axial socket 2 gang	10
SBS65	SPC65	Satellite and co-axial socket 2 gang	10



SBSBTM2



SPCBTM2

## TELEPHONE AND DATA OUTLETS

Brushed Steel	Polished Chrome	Description	Terminal Type	Carton Qty
SBSBTM/1	SPCBTM/1	Telephone master 1 gang	Screw	10
SBSBTM/2	SPCBTM/2	Telephone master 2 gang	Screw	10
SBSBTS/1	SPCBTS/1	Telephone slave 1 gang	Screw	10
SBSBTS/2	SPCBTS/2	Telephone slave 2 gang	Screw	10
SBSRJ11/1	SPCRJ11/1	RJ11 socket 1 gang	IDC	10
SBSRJ11/2	SPCRJ11/2	RJ11 socket 2 gang	IDC	10
SBSRJ45/1	SPCRJ45/1	RJ45 data outlet socket 1 gang	IDC	10
SBSRJ45/2	SPCRJ45/2	RJ45 data outlet socket 2 gang	IDC	10



SBSRJ451



SPCRJ452



SBS81P



SPC81P

## DIMMER SWITCHES - PUSH ON/OFF

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS81P	SPC81P	1 gang, 2 way push, 400W	10
SBS82P	SPC82P	2 gang, 2 way push, 400W	10
SBS83P	SPC83P	3 gang, 2 way push, 400W	5
SBS84P	SPC84P	4 gang, 2 way push, 400W	5

- Suitable for tungsten lamps, low voltage transformers & mains GU10 halogen \*
- \* De-rating required
- Manufactured to BS EN 60669-2-1



SBS83P

## SHAVER SOCKET

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS20G	SPC20G	Shaver socket 115/230V dual voltage	5

- Manufactured to BS EN 61558-1 and BS EN 61558-2-5



SBS20G



SPC20G

## BLANK PLATES

Brushed Steel	Polished Chrome	Description	Carton Qty
SBS94	SPC94	1 gang blank-plate	10
SBS95	SPC95	2 gang blank-plate	5

### INSERT COLOURS:

Polished Chrome = Grey,  
Brushed Steel = Grey.

# Nexus-Flapplate - Screwless

## 10 AMP 10AX SWITCHES

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS12	FPC12	FBN12	FPB12	10AX plate switch 1 gang, 2 way	10
FBS13	FPC13	FBN13	FPB13	10AX plate switch intermediate	10
FBS15	FPC15	FBN15	FPB15	10AX plate switch 3 pole fan isolator	10
FBS42	FPC42	FBN42	FPB42	10AX plate switch 2 gang, 2 way	10
FBS43	FPC43	FBN43	FPB43	10AX plate switch 3 gang, 2 way	10
FBS44	FPC44	FBN44	FPB44	10AX plate switch 4 gang, 2 way	5
FBS46	FPC46	FBN46	FPB46	10AX plate switch 6 gang, 2 way	5

• Manufactured to BS EN 60669-1



## 13 AMP DOUBLE POLE SOCKET OUTLETS

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS21G	FPC21W FPC21G	FBN21B	FPB21B	1 gang 13A switched socket	10
FBS22G	FPC22W FPC22G	FBN22B	FPB22B	2 gang 13A switched socket	5

• Manufactured to BS 1363 part 2  
• Polished Chrome insert colours = White (W) and Grey (G)



## ROUND PIN AND EXPORT SOCKET OUTLETS

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS28G	FPC28W FPC28G	FBN28B	FPB28B	2A unswitched socket round pin	10
FBS29G	FPC29W FPC29G	FBN29B	FPB29B	5A unswitched socket round pin	10
FBS27G	FPC27W FPC27G	FBN27B	FPB27B	13A 1 gang universal with neon	10
FBS99G	FPC99W FPC99G	FBN99B	FPB99B	15A 1 gang switched socket	10
FBS98G	FPC98W FPC98G	FBN98B	FPB98B	16A 2 gang unswitched Euro socket	10

• Manufactured to BS 546  
• Polished Chrome insert colours = White (W) and Grey (G)



## 20 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS31	FPC31	FBN31	FPB31	20A DP switch with neon	10

• Manufactured to BS EN 60669-1



### INSERT COLOURS:

Polished Chrome = White (W) and Grey (G), Brushed Steel = Grey, Black Nickel = Black, Polished Brass = Black.

# Nexus-Flapplate - Screwless



FPB52



FBN54

## 13 AMP FUSED CONNECTION UNITS

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS50	FPC50	FBN50	FPB50	13A switched FCU	10
FBS52	FPC52	FBN52	FPB52	13A switched FCU with neon	10
FBS53	FPC53	FBN53	FPB53	13A switched FCU with neon and cable outlet	10
FBS54	FPC54	FBN54	FPB54	13A unswitched FCU	10
FBS55	FPC55	FBN55	FPB55	13A unswitched FCU with cable outlet	10

- Manufactured to BS 1363 part 4



FPC70G



FPB74

## 45 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS70G	FPC70G	FBN70G	FPB70G	45A DP switch with 13A neon socket	5
FBS72	FPC72	FBN72	FPB72	45A DP switch with neon, double plate	5
FBS74	FPC74	FBN74	FPB74	45A DP switch with neon, single plate	10

- Manufactured to BS 4177
- Manufactured to BS EN 60669-1
- Polished Chrome insert colours = White (W) and Grey (G)



FPB79



FPC79

## 45 AMP FLEX OUTLET

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS79	FPC79	FBN79	FPB79	45A amp flex outlet (export only)	10

- Supplied with 3 way terminal block



FBS60



FPC60



FBN67



FBSEMS2  
+  
EMTVFM/SAT2G

## CO-AXIAL AND SATELLITE SOCKETS

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS60	FPC60	FBN60	FPB60	Co-axial socket, 1 gang	10
FBS61	FPC61	FBN61	FPB61 <sup>+</sup>	Co-axial socket, 2 gang	10
FBS62 <sup>+</sup>	FPC62 <sup>+</sup>	FBN62 <sup>+</sup>	FPB62 <sup>+</sup>	Isolated co-axial socket, 1 gang	EM
FBS63 <sup>+</sup>	FPC63 <sup>+</sup>	FBN63 <sup>+</sup>	FPB63 <sup>+</sup>	Isolated co-axial socket, 2 gang	EM
FBS64 <sup>+</sup>	FPC64 <sup>+</sup>	FBN64 <sup>+</sup>	FPB64 <sup>+</sup>	Satellite socket, 1 gang	EM
FBS65	FPC65	FBN65	FPB65 <sup>+</sup>	Satellite and co-axial socket, 2 gang	10
FBS66	FPC66	FBN66	FPB66 <sup>+</sup>	Diplex TV/FM socket, 2 gang	10
FBS67	FPC67	FBN67	FPB67 <sup>+</sup>	Triplex TV/FM/Sat - Screened	10
FBS68	FPC68	FBN68	FPB68 <sup>+</sup>	Triplex TV/FM/Sat + Return	5
FBS69 <sup>+</sup>	FPC69 <sup>+</sup>	FBN69 <sup>+</sup>	FPB69 <sup>+</sup>	& 1 gang Tel - Screened Quadplex TV/FM/Sat (x2) + Return & 1 gang Tel - Screened	EM

- EM = Euro-module configuration
- + Supplied as kit of Euro-module components
- Insert colours -  
Polished Chrome = White  
Brushed Steel = Grey  
Black Nickel = Black  
Polished Brass = Black

\* See our Euro-module range, for further Telecom, Data and Co-axial Options

# Nexus-Flapplate - Screwless

## TELEPHONE AND DATA OUTLETS

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBSBTM1	FPCBTM1	FBNBTM1	FPBBTM1	Telephone master 1 gang	10
FBSBTM2	FPCBTM2	FBNBTM2	FPBBTM2 <sup>+</sup>	Telephone master 2 gang	10
FBSBTS1	FPCBTS1	FBNBTS1	FPBBTS1	Telephone slave 1 gang	10
FBSBTS2	FPCBTS2	FBNBTS2	FPBBTS2 <sup>+</sup>	Telephone slave 2 gang	10
FBSRJ111	FPCRJ111	FBNRJ111	FPBRJ111	RJ11 socket 1 gang	10
FBSRJ112	FPCRJ112	FBNRJ112	FPBRJ112 <sup>+</sup>	RJ11 socket 2 gang	10
FBSRJ451	FPCRJ451	FBNRJ451	FPBRJ451	RJ45 data outlet socket 1 gang	10
FBSRJ452	FPCRJ452	FBNRJ452	FPBRJ452 <sup>+</sup>	RJ45 data outlet socket 2 gang	10

+ Supplied as kit of Euro-module components

\* See our Euro-module range, for further Telecom, Data and Co-axial Options



## DIMMER SWITCHES - PUSH ON/OFF

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS81P	FPC81P	FBN81P	FPB81P	1 gang, 2 way push, 400W	10
FBS82P	FPC82P	FBN82P	FPB82P	2 gang, 2 way push, 400W	10
FBS83P	FPC83P	FBN83P	FPB83P	3 gang, 2 way push, 400W	5
FBS84P	FPC84P	FBN84P	FPB84P	4 gang, 2 way push, 400W	5
FBS85P	FPC85P	FBN85P	FPB85P	1 gang, 1,000W - square plate (export only)	10
FBS86P	FPC86P	FBN86P	FPB86P	1 gang, 2 way push, 2,000W - square plate (export only)	10

- Suitable for tungsten lamps, low voltage transformers & mains GU10 halogen \*
- \* De-rating required
- Manufactured to BS EN 60669-2-1



## FAN CONTROLLER

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS87	FPC87	FBN87	FPB87	1 gang, 1 way rotary, 400W	10

- Under development, please contact customer services for availability



## SHAVER SOCKET

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS20G	FPC20W	FBN20B	FPB20B	Shaver socket 115/230V dual voltage FPC20G	10

- Manufactured to BS EN 61558-1 and BS EN 61558-2-5
- Polished Chrome insert colours = White (W) and Grey (G)



### INSERT COLOURS:

Polished Chrome = White (W) and Grey (G), Brushed Steel = Grey, Black Nickel = Black, Polished Brass = Black.

# Nexus-Flatplate - Screwless



FBS94

FPC94



FPB94

FBN94

## BLANK PLATES

Brushed Steel	Polished Chrome	Black Nickel	Polished Brass	Description	Carton Qty
FBS94	FPC94	FBN94	FPB94	1 gang blank-plate	10
FBS95	FPC95	FBN95	FPB95	2 gang blank-plate	5

FPFS26/10



FPFS17/10

FPFS36/10

## SPARE ACCESSORIES

Catalogue Number	Description	Carton Qty
FPFS17/10	M3.5 x 17mm screws, pack of 10	100pks
FPFS26/10	M3.5 x 26mm screws, pack of 10	100pks
FPFS36/10	M3.5 x 36mm screws, pack of 10	100pks

## COMPLEMENTARY RANGES



### GRID RANGE

A comprehensive range of Switches, Indicators, Secret Keys and Dimmer modules that provide a seamless blend to the Flatplate products.



### EURO-MODULE RANGE

A flexible solution of Co-ax, Screened Co-ax/Satellite, Telephone, and Data "Euro-Modules".